

February 2025 / Metric

Price List

Contents

HF Hi-Fi & Home Cinema PS Public Spaces
PA Professional Audio WS Workspaces

3 Certifications and Awards

4 Absorption Solutions for All Segments

- 4 **VicStrip** ●●
- 5 **VicStrip Double** **NEW** ●●
- 6 **VicStrip Square** ●●
- 6 **VicStrip Double Square** **NEW** ●●
- 7 **Flat Panel VMT** ●●●●
- 7 **Flat Panel PET** ●●●●
- 8 **Flat Panel PET HD** **NEW** ●●●●
- 8 **VicSpacer** ●●●●
- 8 **VicSpacer Plus** ●●●●
- 8 **VicSpacer XXL** ●●●●
- 9 **Cinema Piano VMT / Forte VMT / Fortissimo VMT** ●●●●
- 9 **VicShape 3D / 3D Duo** **NEW** ●●●●
- 10 **Vixagon VMT** ●●●●
- 10 **Vixagon VMT Collections** ●●●●
- 11 **VicWallpaper VMT** ●●●●
- 11 **GEN_VMT PENRAY 02 Tiles** ●●●●
- 12 **GEN_VMT PENRAY 01 Tiles** ●●●●
- 12 **GEN_VMT PENRAY 01 Panels** ●●●●
- 12 **GEN_VMT PENRAY 01 Cloud** ●●
- 13 **ViCloud 3D VMT** ●●
- 13 **ViCloud Flat VMT** ●●
- 14 **Suspended Baffle VMT 3D** ●
- 14 **Suspended Baffle PET MKII** ●
- 14 **Suspended Baffle Set** **NEW** ●

15 Absorption Solutions for Hi-Fi & Home Cinema / Pro-Audio

- 15 **VicPattern Ultra Beat XL** **NEW** ●●●●
- 15 **VicPattern Ultra Wavewood MKII** **NEW** ●●●●
- 15 **VicPattern Ultra MKII** **NEW** ●●●●
- 16 **Wavewood Ultra Lite** ●●
- 16 **Flexi Wood Ultra Lite** ●●

- 16 **Flexi Wave Ultra** ●●●●
- 17 **Cinema Round Premium** ●●●●
- 17 **Cinema Round Ultra VMT** ●●
- 18 **VicStrip Spacer Kit** **NEW** ●
- 18 **VicAudiophile VMT Kit** ●
- 19 **VicCinema VMT Kit** ●
- 20 **VicStudio VMT Box** ●
- 20 **VicStudio Box** ●
- 20 **Flexi Screen Ultra MKII** ●
- 21 **VicDisplay Guitar / Bass** ●

21 Diffusion Solutions

- 21 **Cinema Round Ultra Fuser** ●●
- 22 **Wavewood Diffuser Ultra MKII** ●●
- 22 **Multifuser Wood MKII** ●●●●
- 22 **Multifuser DC3** ●●

23 Bass Trap Solutions

- 23 **Mega Bass Trap VMT** **NEW** ●●
- 23 **Mega Bass Trap VMT XXL** **NEW** ●●
- 24 **Super Bass Extreme Ultra** ●●
- 24 **Super Bass Extreme VMT** ●●
- 24 **Vari Bass Ultra** ●●
- 25 **VicTotem Ultra VMT** ●●

26 Budget Line ●●

27 Insulation Solutions ●●●●

28 Accessories ●●●●

30 **VicBooth Ultra** ●

36 **VicBooth Office** ●

42 **VicBooth Accessories**

All prices subject to change without further notice. All prices are in EURO, Ex VAT or any sales tax and EXWORKS. Prices might vary depending on your local market and regulatory requirements, customs, etc. This Price List is continually updated with new and amended details. Vicoustic accepts no liability for any eventuality arising from the use of errors contained in this Price List. Vicoustic reserves the right to correct errors or misprints.

VMT products in the color white may show some impurities due to PET recycling. The product images used are illustrative and may differ from the actual product.

Certifications and Awards



VicPET Wool, the non-woven textile used on the VMT line and other solutions, is a **low-emitting material with low emissions of VOC (Volatile Organic Compounds)** or formaldehyde, indoor air pollutants. This means it has good indoor air quality.



VicPET Wool, used in VMT and PET solutions, is **certified by OEKO-TEX 100 Standard**, meeting the human-ecological requirements presently established for baby articles. VicPET Wool does not irritate skin or eyes, and has no dust generation during handling. No chemicals were used and is thermally bonded.



The high-pressure laminate (HPL) used in the Ultra family of products is **certified with an Environmental Product Declaration, meeting the requirements of ISO 14025 and EN 15804**. This means the environmental performance of the raw material conforms with the Life Cycle Assessment required by ISO standards, and with the standard for the sustainability of construction works and services.



reddot winner 2020

Vicoustic collection GEN_VMT won the **Red Dot Award: Product Design 2020** for its outstanding design quality.



VicBooth is a Winner of the German Design Awards 2022 for outstanding design quality, in the category of **Excellent Product Design for Building and Elements**.



VicBooth range won the Good Design Awards 2022, the oldest and one of the most prestigious design awards in Japan, for bringing the added value **"function of adjusting room acoustics"**.




The Cinema VMT Piano, Forte and Fortissimo, along with the Wavewood Diffuser Ultra MKII and Multifuser DC3 won the Visual Grand Prix 2024 Awards, in the category for **room tuning products in the pure audio division**. The latter two products won the VGP Award for the third time.

VicStrip

HS CODE: 39209990




Dimensions



2400 / 2700 × 595 × 12 mm

Laminate colors



PET HD colors



VicStrip 240, Natural Walnut

vicoustic.com/product/vicstrip
For custom colors, contact: sales@vicoustic.com

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
240 - Brown Oak / Natural Oak	2400 × 595 × 12	2.9	2	2438 × 628 × 38	11.3
240 - Brown Oak / Natural Oak	2400 × 595 × 12	5.7	4	2438 × 628 × 64	20.5
240 - Dark Walnut / Natural Walnut	2400 × 595 × 12	2.9	2	2438 × 628 × 38	11.3
240 - Dark Walnut / Natural Walnut	2400 × 595 × 12	5.7	4	2438 × 628 × 64	20.5
240 - Garnet Red / Reed Green	2400 × 595 × 12	2.9	2	2438 × 628 × 38	11.3
240 - Garnet Red / Reed Green	2400 × 595 × 12	5.7	4	2438 × 628 × 64	20.5
240 - Black Matte / White Matte	2400 × 595 × 12	2.9	2	2438 × 628 × 38	11.3
240 - Black Matte / White Matte	2400 × 595 × 12	5.7	4	2438 × 628 × 64	20.5
270 - Brown Oak / Natural Oak	2700 × 595 × 12	3.2	2	2738 × 628 × 38	12.7
270 - Brown Oak / Natural Oak	2700 × 595 × 12	6.4	4	2738 × 628 × 64	23.1
270 - Dark Walnut / Natural Walnut	2700 × 595 × 12	3.2	2	2738 × 628 × 38	12.7
270 - Dark Walnut / Natural Walnut	2700 × 595 × 12	6.4	4	2738 × 628 × 64	23.1
270 - Garnet Red / Reed Green	2700 × 595 × 12	3.2	2	2738 × 628 × 38	12.7
270 - Garnet Red / Reed Green	2700 × 595 × 12	6.4	4	2738 × 628 × 64	23.1
270 - Black Matte / White Matte	2700 × 595 × 12	3.2	2	2738 × 628 × 38	12.7
270 - Black Matte / White Matte	2700 × 595 × 12	6.4	4	2738 × 628 × 64	23.1

Raw Materials: HD VicPET Wool and High-Pressure Laminate (HPL)

Acoustic Properties:

Medium and High Frequencies Absorption

NRC: 0.45 (applied directly on the wall);
0.85 (mounted on 40mm batten with VicPET Wool behind the panels)

Installation/Accessories:

Screwed to plasterboard walls or wooden structures (screws included); Flexi Glue Ultra, on masonry or concrete walls (not included)




VicStrip Double NEW


HS CODE: 39209990

PS

WS



Dimensions



2400 / 2700×595×12 mm

Laminate colors

 Brown Oak

 Dark Walnut

 Garnet Red

 Black Matte

 Natural Oak

 Natural Walnut

 Reed Green

 White Matte

PET HD colors

 Black

 Grey

vicoustic.com/product/vicstrip-double

For custom colors, contact: sales@vicoustic.com

VicStrip 240, Reed Green

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
240 – Brown Oak / Natural Oak	2400×595×12	2.9	2	2438×628×38	11.3
240 – Brown Oak / Natural Oak	2400×595×12	5.7	4	2438×628×64	20.5
240 – Dark Walnut / Natural Walnut	2400×595×12	2.9	2	2438×628×38	11.3
240 – Dark Walnut / Natural Walnut	2400×595×12	5.7	4	2438×628×64	20.5
240 – Garnet Red / Reed Green	2400×595×12	2.9	2	2438×628×38	11.3
240 – Garnet Red / Reed Green	2400×595×12	5.7	4	2438×628×64	20.5
240 – Black Matte / White Matte	2400×595×12	2.9	2	2438×628×38	11.3
240 – Black Matte / White Matte	2400×595×12	5.7	4	2438×628×64	20.5
270 – Brown Oak / Natural Oak	2700×595×12	3.2	2	2738×628×38	12.7
270 – Brown Oak / Natural Oak	2700×595×12	6.4	4	2738×628×64	23.1
270 – Dark Walnut / Natural Walnut	2700×595×12	3.2	2	2738×628×38	12.7
270 – Dark Walnut / Natural Walnut	2700×595×12	6.4	4	2738×628×64	23.1
270 – Garnet Red / Reed Green	2700×595×12	3.2	2	2738×628×38	12.7
270 – Garnet Red / Reed Green	2700×595×12	6.4	4	2738×628×64	23.1
270 – Black Matte / White Matte	2700×595×12	3.2	2	2738×628×38	12.7
270 – Black Matte / White Matte	2700×595×12	6.4	4	2738×628×64	23.1

Raw Materials: HD VicPET Wool and High-Pressure Laminate (HPL)

Acoustic Properties:
Medium and High Frequencies Absorption

NRC: 0.45 (applied directly on the wall);
0.85 (mounted on 40mm batten with VicPET Wool behind the panels)

Installation/Accessories:
Flexi Glue Ultra, on plasterboard walls, wooden structures, masonry or concrete walls (not included)



VicStrip Square

HS CODE: 39209990



Dimensions



595×595×12 mm

Laminate colors

	Brown Oak		Natural Oak
	Dark Walnut		Natural Walnut
	Garnet Red ^{NEW}		Reed Green ^{NEW}
	Black Matte		White Matte

PET HD colors

	Black
	Grey ^{NEW}

VicStrip Square, Dark Walnut with Grey PET

vicoustic.com/product/vicstrip-square
For custom colors, contact: sales@vicoustic.com

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
Brown Oak / Natural Oak	595×595×12	2.8	8	645×605×105	10.5
Dark Walnut / Natural Walnut	595×595×12	2.8	8	645×605×105	10.5
Garnet Red / Reed Green	595×595×12	2.8	8	645×605×105	10.5
Black Matte / White Matte	595×595×12	2.8	8	645×605×105	10.5

Raw Materials: HD VicPET Wool and High-Pressure Laminate (HPL)

Acoustic Properties:

Medium and High Frequencies Absorption

NRC: 0.45 (applied directly on the wall);
0.85 (mounted on 40mm batten with VicPET Wool behind the panels)

Installation/Accessories:

Screwed to plasterboard walls or wooden structures (screws included); Flexi Glue Ultra, on masonry or concrete walls (not included)

VicStrip Double Square ^{NEW}

HS CODE: 39209990



Dimensions



595×595×12 mm

Laminate colors

	Brown Oak		Natural Oak
	Dark Walnut		Natural Walnut
	Garnet Red		Reed Green
	Black Matte		White Matte

PET HD colors

	Black
	Grey

VicStrip Square, Garnet Red with Grey PET

vicoustic.com/product/vicstrip-double-square
For custom colors, contact: sales@vicoustic.com

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
Brown Oak / Natural Oak	595×595×12	2.8	8	645×605×105	10.5
Dark Walnut / Natural Walnut	595×595×12	2.8	8	645×605×105	10.5
Garnet Red / Reed Green	595×595×12	2.8	8	645×605×105	10.5
Black Matte / White Matte	595×595×12	2.8	8	645×605×105	10.5

Raw Materials: HD VicPET Wool and High-Pressure Laminate (HPL)

Acoustic Properties:

Medium and High Frequencies Absorption


NRC: 0.45 (applied directly on the wall);
0.85 (mounted on 40mm batten with VicPET Wool behind the panels)

Installation/Accessories:

Flexi Glue Ultra, on plasterboard walls, wooden structures, masonry or concrete walls (not included) or concrete walls (not included)

Flat Panel VMT


HS CODE: 39209990



Dimensions

595 × 595
× 20 / 40 mm

1190 × 595 × 20 / 40 mm



2380 × 1190 × 20 mm

VMT solid colors

See all available VMT patterns at vicoustic.com

Flat Panel VMT, 595 × 595 × 20 mm
- Natural Stones Collection, Calacatta Carrara

vicoustic.com/product/flat-panel-vmt
For customized graphics or colors, contact: sales@vicoustic.com

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
Flat Panel VMT	595 × 595 × 20	2.8	8	665 × 675 × 195	7.6
Flat Panel VMT	595 × 595 × 20	1.4	4	665 × 690 × 105	3.3
Flat Panel VMT	595 × 595 × 40	2.8	8	665 × 675 × 360	7.9
Flat Panel VMT	1190 × 595 × 20	5.7	8	1260 × 675 × 195	13.4
Flat Panel VMT	1190 × 595 × 20	2.8	4	1290 × 675 × 105	6.2
Flat Panel VMT	1190 × 595 × 40	5.7	8	1260 × 675 × 360	26.8
Flat Panel VMT	2380 × 1190 × 20	22.7	8	2465 × 1275 × 165	60
Flat Panel VMT	2380 × 1190 × 20	11.3	4	2465 × 1275 × 85	37.5
Flat Panel VMT	2380 × 1190 × 20	5.7	2	2465 × 1275 × 85	28.7

Raw Materials: VicPET Wool

Fire Rate: 20 mm: Europe: Euroclass B -s2, d0; USA: Class A (ASTM-E84);
Canada: CAN/ULC S102, Flame Spread Rating: 5, Smoke Developed
Classification: 115; 40 mm: Europe: Euroclass B - s2, d0; USA: Class A
(ASTM-E84); Canada: N/A

Acoustic Properties: Medium and High Frequencies Absorption**NRC:** 20 mm: 0.55; 40 mm: 0.70

Installation/Accessories: Flexi Glue Ultra; AluFrame VMT T; VicSpacer
MKII; VicSpacer Plus MKII; VicSpacer XXL

Flat Panel PET

HS CODE: 39211310


vicoustic.com/product/flat-panel-pet

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
Flat Panel PET - Black	595 × 595 × 20	2.8	8	665 × 675 × 195	4.8
Flat Panel PET - Black	595 × 595 × 40	2.8	8	665 × 675 × 360	4.8
Flat Panel PET - White	595 × 595 × 20	2.8	8	665 × 675 × 195	4.8
Flat Panel PET - White	595 × 595 × 40	2.8	8	665 × 675 × 360	4.8
Flat Panel PET - Black	1190 × 595 × 20	5.7	8	1260 × 675 × 195	8.9
Flat Panel PET - Black	1190 × 595 × 40	5.7	8	1260 × 675 × 360	8.9
Flat Panel PET - White	1190 × 595 × 20	5.7	8	1260 × 675 × 195	8.9
Flat Panel PET - White	1190 × 595 × 40	5.7	8	1260 × 675 × 360	8.9

Raw Materials: VicPET Wool

Fire Rate: White PET, 20mm – Europe: Euroclass B -s1, d0; USA: Class B /
White PET, 40mm – Europe: Euroclass B -s2, d0; USA: Class B;
Black PET – Europe: Euroclass B -s1, d0; USA: Class A

Acoustic Properties: Medium and High Frequencies Absorption**NRC:** 20 mm: 0.50; 40 mm: 0.65

Installation/Accessories: Flexi Glue Ultra, VicFix Magnetic, VicFix Frame

Flat Panel PET HD

HS CODE: 39209990



Flat Panel PET HD - Grey


Dimensions



2800×1200×12 mm / 2800×1225×12 mm

vicoustic.com/product/flat-panel-pet-hd

PET HD colors



Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
Flat Panel PET HD	2800 × 1200 × 12	26.9	8	2815 × 1245 × 105	67.5

Raw Materials: High-density PET Wool**Fire Rate:** White, Grey, Dark Grey – B-S1,d0**Acoustic Properties:**

Medium and High Frequencies Absorption

NRC: 0.40**Installation/Accessories:** Flexi Glue Ultra


VicSpacer MKII / VicSpacer Plus MKII

HS CODE: 39211310




VicSpacer / VicSpacer Plus Grey Matte

Dimensions



599×1194×66 mm

Laquered Colors


vicoustic.com/product/vicspacer-mkii
vicoustic.com/product/vicspacer-plus-mkii

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
VicSpacer MKII	599 × 1194 × 66	1.4	2	1260 × 675 × 150	14.4
VicSpacer Plus MKII	599 × 1194 × 66	1.4	2	1260 × 675 × 150	14.4

Raw Materials: Moisture-resistant MDF and Lacquered Steel (VicSpacer MKII); Moisture-Resistant MDF, Lacquered Steel and VicPET Wool (VicSpacer Plus MKII)

NRC: 0.85 (VicSpacer MKII with Flat Panel VMT 20 mm - not included); 0.95 (VicSpacer Plus MKII with Flat Panel VMT 20 mm - not included)

Installation/Accessories: VicFix Mini (included); VicFix J Profile; VicFix Corner

VicSpacer XXL

HS CODE: 44189900




VicSpacer XXL Grey Matte

Dimensions



2384×1194×66 mm

Laquered Colors


vicoustic.com/product/vicspacer-xxl

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
VicSpacer XXL	2384 × 1194 × 66	2.8	1	2430 × 150 × 100	19


Raw Materials: Wood and Lacquered Steel**NRC:** 0.85 (VMT 20 mm + VicSpacer XXL)**Installation/Accessories:** Screwed to the wall

Cinema Line

HS CODE: 39209990



Dimensions



Piano VMT / Forte VMT / Fortissimo VMT
595 × 595 × 60 / 120 / 120 mm

VMT Finishes



Cinema Line - Piano VMT, Grey Stone; Forte VMT, Calacatta Crema; Fortissimo VMT, Concrete 1

vicoustic.com/search/cinema-family

For customized graphics or colors, contact: sales@vicoustic.com

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
Cinema Piano VMT	595 × 595 × 60	0.7	2	665 × 675 × 195	3.5
Cinema Forte VMT	595 × 595 × 120	0.7	2	665 × 675 × 355	4.75
Cinema Fortissimo VMT	595 × 595 × 120	0.7	2	665 × 675 × 355	6.25

Raw Materials: VicPET Wool, ViCycle, MDF and Lacquered Steel

Acoustic Properties: Broadband Absorption
NRC: 0.95 (Piano, Forte); 1.00 (Fortissimo)

Installation/Accessories:
VicFix Mini (included); VicFix J Profile,
VicFix Suspension Profile ^{NEW}


VicShape 3D / 3D Duo ^{NEW}

HS CODE: 39209990



VicShape 3D / VicShape 3D Duo - Light Grey

Dimensions



VicShape / VicShape 3D Duo: 595 × 1160 × 52 mm

PET HD colors



vicoustic.com/search/vicshape-3d

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
VicShape 3D	595 × 1160 × 52	0.7	1	640 × 1215 × 60	6.45
VicShape 3D Duo	595 × 1160 × 52	1.4	2	640 × 1215 × 115	11.9

Raw Materials: High-density PET and Pine Wood with Oak veneer

Acoustic Properties:
Medium and High Frequencies Absorption
NRC: 0.65

Installation/Accessories:
Hanging support bracket (included)


Vixagon VMT HS CODE: 39209990

HF PA PS WS



Vixagon VMT, 20 mm - Natural Stones, Calacatta Carrara

Dimensions



vicoustic.com/product/vixagon-vmt
For customized graphics or colors,
contact: sales@vicoustic.com

VMT solid colors



See all available VMT patterns at vicoustic.com

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
Vixagon VMT	700 × 606 × 20	3.8	12	745 × 650 × 390	8
Vixagon mini VMT	350 × 305 × 20	3.8	36 + 36	745 × 650 × 390	8
Vixagon VMT	700 × 606 × 40	1.9	6	745 × 650 × 390	8

Raw Materials: VicPET Wool

Acoustic Properties: Medium and High Frequencies Absorption


NRC: 20 mm: 0.55; 40 mm: 0.70

Installation/Accessories: Flexi Glue Ultra

Fire Rate: 20 mm: Europe: Euroclass B -s2, d0; USA: Class A (ASTM-E84);
Canada: CAN/ULC S102, Flame Spread Rating: 5, Smoke Developed
Classification: 115; 40 mm: Europe: Euroclass B - s2, d0; USA: Class A
(ASTM-E84); Canada: N/A


Vixagon VMT Collections HS CODE: 39209990

HF PA PS WS



Vixagon VMT Collections, Mediterranean

Dimensions



vicoustic.com/product/vixagon-vmt-collections
For customized graphics or colors,
contact: sales@vicoustic.com

Collections



Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
Vixagon VMT Collections	350 × 305 × 20	1.3	12 + 12	745 × 650 × 90	2.67

Raw Materials: VicPET Wool

Acoustic Properties: Medium and High Frequencies Absorption

NRC: 20 mm: 0.55

Installation/Accessories: Flexi Glue Ultra

Fire Rate: 20 mm: Europe: Euroclass B -s2, d0; USA: Class A (ASTM-E84);
Canada: CAN/ULC S102, Flame Spread Rating: 5, Smoke Developed
Classification: 115


VicWallpaper VMT

HS CODE: 39209990



VicWallpaper VMT, Deck - Natural White

Dimensions



Square 30

595 / 1190 × 595
× 10 mm

Square 8

595 / 1190 × 595
× 10 mm

Deck

595 / 1190 × 595
× 10 mm

Triangles

595 / 1190 × 595
× 10 mm

Symmetric

595 / 1190 × 595
× 10 mm

VMT solid colors — See all available VMT patterns at vicoustic.com



Natural
White



Black



Grey



Light
Grey



Musk
Green



Moss
Green



Blue



Bondi
Blue



Beige



Brown



Pumpkin
Orange



Coral

vicoustic.com/product/vicwallpaper-vmt

For customized graphics or colors, contact: sales@vicoustic.com

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
VicWallpaper VMT	595 × 595 × 10	2.8	8	615 × 640 × 130	3.5
VicWallpaper VMT	1190 × 595 × 10	5.7	8	1245 × 615 × 130	7

Raw Materials: VicPET Wool

Fire Rate: Europe: Euroclass C s2, d0;
USA: Class A (ASTM-E84)

Acoustic Properties:


Medium and High Frequencies Absorption
NRC: 0.20

Installation/Accessories:

Flexi Glue Ultra; AluFrame VicWallpaper


GEN_VMT PENRAY 02 Tiles

HS CODE: 39209990



GEN_VMT PENRAY 02 Tiles - Bondi Blue

Dimensions



355 × 355 × 20 mm (unit)

[vicoustic.com/](https://vicoustic.com/product/gen_vmt-penray-02-tiles)

[product/gen_vmt-penray-02-tiles](https://vicoustic.com/product/gen_vmt-penray-02-tiles)

VMT colors

Bondi Blue



Coral



Moss Green



White



Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
GEN_VMT PENRAY 02 Tiles	355 × 355 × 20	1.6	12	780 × 470 × 95	1.8

Raw Materials: VicPET Wool

Fire Rate: Europe: Euroclass C s2, d0;
USA: Class A (ASTM-E84)

Acoustic Properties:

Medium and High Frequencies Absorption
NRC: 0.30

Installation/Accessories:


Flexi Glue Ultra

GEN_VMT PENRAY 01 Tiles HS CODE: 39209990 HF PS WS



GEN_VMT PENRAY 01 Tiles - Coral

Dimensions



A - 400×460×20 mm / B - 230×320×20 mm

[vicoustic.com/
product/gen_vmt-penray-01-tiles](https://vicoustic.com/product/gen_vmt-penray-01-tiles)

VMT colors




Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
GEN_VMT PENRAY 01 Tiles	A - 400×460×20 B - 230×320×20	1.2	12	780 × 470 × 95	1.8

Raw Materials: VicPET Wool
Fire Rate: Europe: Euroclass C s2, d0;
USA: Class A (ASTM-E84)

Acoustic Properties:
Medium and High Frequencies Absorption
NRC: 0.30


Installation/Accessories:
Flexi Glue Ultra

GEN_VMT PENRAY 01 Panels HS CODE: 39209990 HF PS WS



GEN_VMT PENRAY 01 Panels - Moss Green

Dimensions



700×705×20 mm (unit)

[vicoustic.com/
product/gen_vmt-penray-01-panels](https://vicoustic.com/product/gen_vmt-penray-01-panels)

VMT colors




Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
GEN_VMT PENRAY 01 Panels	700 × 705 × 20	1.9	6	850 × 700 × 110	3.05

Raw Materials: VicPET Wool
Fire Rate: Europe: Euroclass C s2, d0;
USA: Class A (ASTM-E84)

Acoustic Properties:
Medium and High Frequencies Absorption
NRC: 0.30


Installation/Accessories:
Flexi Glue Ultra

GEN_VMT PENRAY 01 Cloud HS CODE: 39209990 PS WS



GEN_VMT PENRAY 01 Cloud - Bondi Blue 2


Dimensions



1187×949×20 mm

vicoustic.com/product/gen_vmt-penray-01-cloud

VMT colors



Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
GEN_VMT PENRAY 01 Cloud	1187 × 949 × 20	0.8	1	1060 × 1480 × 65	3.2

Raw Materials: VicPET Wool
Fire Rate: Europe: Euroclass B S2, d0;
USA: Class A (ASTM-E84)

Acoustic Properties:
Medium and High Frequencies Absorption


Installation/Accessories:
Mechanical and Magnetic Suspended Fixation
(included)

ViCloud 3D VMT HS CODE: 39209990 PS WS



ViCloud VMT, Hexagon - Natural Stones, Patagonia


Dimensions



Round
Ø 1160 × 30 mm



Square
1160 × 1160 × 30 mm



Hexagon
1160 × 1005 × 30 mm



Petal
1160 × 1068 × 30 mm

VMT solid colors — See all available VMT patterns at vicoustic.com



Natural White



Black



Grey



Light Grey



Musk Green



Moss Green



Blue



Bondi Blue



Beige



Brown



Pumpkin Orange



Coral

vicoustic.com/products/vicloud-3d

For customized graphics or colors, contact: sales@vicoustic.com

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
ViCloud VMT - Round	Ø 1160 × 30	4.2	4	1267 × 1262 × 170	8.5
ViCloud VMT - Square	1160 × 1160 × 30	5.4	4	1267 × 1262 × 170	8.5
ViCloud VMT - Hexagon	1160 × 1005 × 30	3.5	4	1267 × 1262 × 170	8.5
ViCloud VMT - Petal	1160 × 1068 × 30	2.5	4	1267 × 1262 × 170	8.5

Raw Materials: VicPET Wool

Fire Rate: Europe: Euroclass B - s2, d0;
USA: Class A (ASTM-E84); Canada: N/A

Acoustic Properties:

Medium and High Frequencies Absorption

Installation/Accessories:


Magnetic and Mechanical Suspended Fixation
(included)

ViCloud Flat VMT HS CODE: 39209990 PS WS



ViCloud VMT, Petal - Natural Woods, Oak


Dimensions



Round
Ø 1160 × 40 mm



Square
1160 × 1160 × 40 mm



Hexagon
1160 × 1005 × 40 mm



Petal
1160 × 1068 × 40 mm

VMT solid colors — See all available VMT patterns at vicoustic.com



Natural White



Black



Grey



Light Grey



Musk Green



Moss Green



Blue



Bondi Blue



Beige



Brown



Pumpkin Orange



Coral

vicoustic.com/product/vicloud-vmt

For customized graphics or colors, contact: sales@vicoustic.com

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
ViCloud VMT - Round	Ø 1160 × 40	4.2	4	1267 × 1262 × 170	8.5
ViCloud VMT - Square	1160 × 1160 × 40	5.4	4	1267 × 1262 × 170	8.5
ViCloud VMT - Hexagon	1160 × 1005 × 40	3.5	4	1267 × 1262 × 170	8.5
ViCloud VMT - Petal	1160 × 1068 × 40	2.5	4	1267 × 1262 × 170	8.5

Raw Materials: VicPET Wool

Fire Rate: Europe: Euroclass B - s2, d0;
USA: Class A (ASTM-E84); Canada: N/A

Acoustic Properties:

Medium and High Frequencies Absorption


Installation/Accessories:

Magnetic and Mechanical Suspended Fixation
(included)

Suspended Baffle VMT 3D HS CODE: 39209990 PS



Suspended Baffle VMT 3D, Beige



vicoustic.com/product/suspended-baffle-3d
For customized graphics or colors, contact: sales@vicoustic.com

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
Suspended Baffle VMT 3D	1190 × 595 × 35	5.7	8	1260 × 675 × 355	17

Raw Materials: VicPET Wool

Fire Rate: USA: Class A (ASTM-E84); Europe: Euroclass B, s2 d0

Acoustic Properties: Absorption



Installation/Accessories:

Wire Rope (steel cable with a hook) Fixation System (included)

Suspended Baffle PET MKII HS CODE: 39209990 PS



Suspended Baffle PET MKII Black / White



[vicoustic.com/
product/suspended-baffle-pet-mkii](https://vicoustic.com/product/suspended-baffle-pet-mkii)

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
White	1202 × 602 × 40	4.3	6	1260 × 675 × 360	13.5
Black	1202 × 602 × 40	4.3	6	1260 × 675 × 360	13.5

Raw Materials: VicPET Wool, Galvanized Steel

Fire Rate: Europe: Euro Class B S1, d0 (EM 13501-1);
USA: White PET: Class B (STM-E84) | Black PET: Class A (ASTM-E84)



Acoustic Properties: Absorption

Installation/Accessories: Wire Rope (steel cable with a hook) fixation System (included)

Suspended Baffle Set NEW HS CODE: 39209990 PS



Suspended Baffle Set 12-Baffle Black / 3-Baffle White



[vicoustic.com/
product/suspended-baffle-set](https://vicoustic.com/product/suspended-baffle-set)

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
3-Baffle version	1202 × 602 × 40	2.17	3	1215 × 690 × 135 + Ø85 × 1500	10.8
12-Baffle version	1202 × 1202 × 40	17.4	12	1250 × 1275 × 505 + Ø85 × 1500	48.85

Raw Materials: VicPET Wool, Galvanized Steel

Fire Rate: Europe: Euro Class B S1, d0 (EM 13501-1);
USA: White PET: Class B (STM-E84) | Black PET: Class A (ASTM-E84)

Acoustic Properties: Absorption


Installation/Accessories: Wire Rope (steel cable with a hook) fixation System (included); Suspended Baffle Set Connector (not included)

VicPattern Ultra Beat XL NEW HS CODE: 44189900 HF PA



VicPattern Ultra Beat XL - Natural Oak

Dimensions



595 × 1190 × 50 mm

Laminate colors

	Black Matte		Natural Walnut
	White Matte		Dark Walnut
	Brown Oak		Locarno Cherry
	Natural Oak		

vicoustic.com/product/vicpattern-ultra-beat-xl
For customized graphics or colors, contact: sales@vicoustic.com

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
VicPattern Ultra Beat XL	595 × 1190 × 50	1.4	2	675 × 1260 × 150	10.2

Raw Materials: VicPET Wool (black), MDF and High-Pressure Laminate (HPL) **Installation/Accessories:** VicFix Mini (included); VicFix J Profile 80 mm; VicFix J Profile; VicFix Corner

Acoustic Properties: Medium and High Frequencies Absorption


NRC: 0.75

VicPattern Ultra Wavewood MKII NEW HS CODE: 44189900 HF PA PS



VicPattern Ultra Wavewood MKII - Brown Oak

Dimensions



595 × 595 × 50 mm

Laminate colors

	Black Matte		Natural Walnut
	White Matte		Dark Walnut
	Brown Oak		Locarno Cherry
	Natural Oak		

vicoustic.com/product/vicpattern-ultra-wavewood-mkii
For customized graphics or colors, contact: sales@vicoustic.com

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
VicPattern Ultra Wavewood MKII	595 × 595 × 50	1.1	3	665 × 675 × 195	9.6

Raw Materials: VicPET Wool, Fabric, MDF, High-Pressure Laminate (HPL) **NRC:** 0.80


Acoustic Properties: Medium and High Frequencies Absorption and Diffusion **Installation/Accessories:** VicFix Mini (included); VicFix J Profile 80 mm; VicFix J Profile; VicFix Corner; VicFix Suspension Profile NEW

VicPattern Ultra MKII NEW HS CODE: 44189900 HF PA PS



VicPattern Ultra MKII - Symmetric: Natural Walnut; Reflex: Natural Oak; Triangles: Locarno Cherry

Dimensions



Symmetric

Reflex

Triangles

Laminate colors

	Black Matte		Natural Walnut
	White Matte		Dark Walnut
	Brown Oak		Locarno Cherry
	Natural Oak		

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
VicPattern Ultra MKII	595 × 595 × 50	1.1	3	665 × 675 × 195	9.6


Raw Materials: VicPET Wool, Fabric, MDF, High-Pressure Laminate (HPL) **Installation/Accessories:** VicFix Mini (included); VicFix J Profile 80 mm; VicFix J Profile; VicFix Corner; VicFix Suspension Profile NEW

Acoustic Properties: Medium and High Frequencies Absorption

NRC: 0.65 (Reflex); 0.80 (Symmetric); 0.75 (Triangles)


Wavewood Ultra Lite

HS CODE: 44189900 HF PA



Wavewood Ultra Lite - Brown Oak

Dimensions



595 × 595 × 45 mm

vicoustic.com/product/wavewood-ultra-lite

Laminate colors

	Black Matte		Natural Walnut
	White Matte		Dark Walnut
	Brown Oak		Locarno Cherry
	Natural Oak		

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
Wavewood Ultra Lite	595 × 595 × 45	2.8	8	665 × 675 × 355	15.5
Wavewood Ultra Lite	595 × 595 × 45	1.4	4	665 × 675 × 195	9.4

Raw Materials: Polyurethane Foam, MDF, High-Pressure Laminate (HPL)

Acoustic Properties: Medium Frequencies Absorption
NRC: 0.75

Installation/Accessories:
Flexi Glue Ultra


Flexi Wood Ultra Lite

HS CODE: 39211310 HF PA



Flexi Wood Ultra Lite - Locarno Cherry

Dimensions



595 × 595 × 54 mm

vicoustic.com/product/flexi-wood-ultra-lite

Laminate colors

	Black Matte		Natural Walnut
	White Matte		Dark Walnut
	Brown Oak		Locarno Cherry
	Natural Oak		

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
Flexi Wood Ultra Lite	595 × 595 × 54	2.1	6	620 × 620 × 330	10

Raw Materials: Polyurethane Foam, MDF, High-Pressure Laminate (HPL)

Acoustic Properties: Medium and Medium-low Frequencies Absorption
NRC: 0.60

Installation/Accessories:
VicFix J Profile (using VicFix Base);
Flexi Glue Ultra


Flexi Wave Ultra

HS CODE: 44189900 HF PA PS



Flexi Wave Ultra - 120: Brown Oak; 60: Natural Oak

Dimensions



vicoustic.com/product/flexi-wave-ultra

Laminate colors

	Black Matte		Natural Walnut
	White Matte		Dark Walnut
	Brown Oak		Locarno Cherry
	Natural Oak		

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
Flexi Wave Ultra 60	595 × 100 × 150	0.4	6	605 × 620 × 185	5.2
Flexi Wave Ultra 120	1190 × 100 × 150	0.7	6	1220 × 620 × 185	10.4

Raw Materials: VicPET Wool, Fabric, MDF, High-Pressure Laminate (HPL)

Acoustic Properties: Medium Frequencies Absorption and Diffusion
NRC: 0.70

Installation/Accessories:
VicFix J Profile 80 mm (included);
VicFix J Profile; Flexi Glue Ultra

Cinema Round Premium HS CODE: 39211310 HF PA PS



Cinema Round Premium - Blue

Dimensions



595×595×75 mm

Fabric colors



vicoustic.com/product/cinema-round-premium

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
Cinema Round Premium	595×595×50	2.8	8	630×630×620	9.1

Raw Materials: Polyurethane Foam, Fabric
Fire Rate: Europe: Euroclass F

Acoustic Properties:
Medium and High Frequencies Absorption
NRC: 0.95


Installation/Accessories: Flexi Glue Ultra;
VicFix J Profile; VicFix Suspension Profile ^{NEW}
or VicFix Corner (with VicFix Base)

Cinema Round Ultra VMT HS CODE: 39211310 HF PA




Cinema Round Ultra VMT - Locarno Cherry + Beige

Dimensions



595×595×170 mm

Wood colors



VMT colors



vicoustic.com/product/cinema-round-ultra-vmt

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
Cinema Round Ultra VMT	595×595×170	0.7	2	665×675×405	10,4

Raw Materials: VicPET Wool, MDF,
High-Pressure Laminate (HPL)


Acoustic Properties:
Medium and High Frequencies Absorption
NRC: 0.90

Installation/Accessories: VicFix J Profile 80 mm
(Included); VicFix J Profile; VicFix Corner;
VicFix Suspension Profile ^{NEW}

VicStrip Spacer Kit HS CODE: 39209990 HF



Dimensions



2384 × 1194 × 66 mm

Laminate colors

	Brown Oak		Natural Oak
	Dark Walnut		Natural Walnut
	Garnet Red NEW		Reed Green NEW
	Black Matte		White Matte

vicoustic.com/product/vicstrip-spacer-kit
For customized graphics or colors, contact: sales@vicoustic.com

VicStrip Spacer Kit, Natural Walnut

Product Info		Packaging Info (Box)			
Description	Size (mm)	m² / Box	Units / Box	Dimensions (mm)	Weight (kg)
Brown Oak / Natural Oak	2384 × 1194 × 66	2.9	1	1290 × 675 × 105 + 2430 × 150 × 100	33.5
Dark Walnut / Natural Walnut	2384 × 1194 × 66	2.9	1	1290 × 675 × 105 + 2430 × 150 × 100	33.5
Garnet Red / Reed Green	2384 × 1194 × 66	2.9	1	1290 × 675 × 105 + 2430 × 150 × 100	33.5
Black Matte / White Matte	2384 × 1194 × 66	2.9	1	1290 × 675 × 105 + 2430 × 150 × 100	33.5

Raw Materials: HD VicPET Wool, High-Pressure Laminate (HPL), Wood and Lacquered Steel


Acoustic Properties: Medium and High Frequencies Absorption
NRC: 0.85

Installation/Accessories: Screwed to the walls

VicAudiophile VMT Kit HS CODE: 39209990 HF



Contents and Dimensions



VicSpacer Plus MKII with Flat Panel VMT
(4 ×) 1194 × 599 × 66 mm



Multifuser Wood MKII 64
(2 ×) 595 × 595 × 143 mm



VicPattern Ultra Wavewood MKII
(4 ×) 595 × 595 × 50 mm

Finishes

VicPattern Ultra Wavewood MKII			
	+	+	+
Multifuser Wood MKII			
	+	+	+
Flat Panel VMT			

vicoustic.com/product/vicaudiophile-vmt-kit

VicAudiophile VMT Kit - Brown Oak

Product Info		Packaging Info (Box)			
Description	Size (mm)	m² / Box	Units / Box	Dimensions (mm)	Weight (kg)
VicAudiophile VMT Kit	—	4.9	16	(2×) 1260×675×150; 665×675×255; 1290×675×105; (2×) 625×330×225	82.9

Raw Materials: VicPET Wool, Moisture Resistent MDF and Lacquered Steel; VicPET Wool, Fabric, MDF and High-Pressure Laminate (HPL); Solid Wood

Acoustic Properties: Medium frequencies Absorption and Diffusion
NRC: 0.95 (VicSpacer Plus MKII + Flat Panel VMT);
0.80 (VicPattern Ultra Wavewood MKII)

Installation/Accessories: VicFix J Profile and VicFix Corner (included)

VicCinema VMT Kit HS CODE: 44189900 HF



VicCinema VMT Walls & Ceiling Kit - Rosemary Green

Dimensions



VicSpacer Plus MKII with Flat Panel VMT
(4 ×) 1194 × 599 × 66 mm



VicPattern Ultra Triangles
(4 ×) 595 × 595 × 50 mm

VMT + Laminate colors



Dark Grey
+ Black Matte



Rosemary Green
+ Natural Oak



Grey
+ Natural Walnut



Black
+ Dark Walnut

vicoustic.com/product/viccinema-vmt-kit

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
Walls & Ceiling Kit	—	4.2	12 / 5 boxes	(2×) 1260×675×150; 665×675×255; 1290×675×105	44.8

Raw Materials: VicPET Wool, Moisture Resistant MDF, Lacquered Steel, MDF, Fabric and High-Pressure Laminate (HPL)

Acoustic Properties:
Low to Medium Frequencies Absorption
NRC: 0.95 (VicSpacer Plus MKII with Flat Panel VMT);
0.75 (VicPattern Ultra Triangles MKII)

Installation/Accessories:
VicFix J Profile (included)



VicCinema VMT Bass Trap Kit - Rosemary Green

Dimensions



Mega Bass Trap VMT
1788 × 680 × 384 mm



Laquered + VMT colors



Black Matte
+ Dark Grey



Grey Matte
+ Rosemary Green



Black Matte
+ Grey



Black Matte
+ Black

Product Info		Packaging Info (Box)				MSRP	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Mega Bass Trap Kit	—	2.4	2 / 2 boxes	2815 × 1245 × 105	36.0	481.97€	1,176.00€

Raw Materials: VicPET Wool, MDF, Lacquered Steel

Installation/Accessories: All installation accessories included

The **VicCinema VMT Kit** is an acoustic kit developed to maximize the acoustic conditions of a Home Cinema. The kit is available in two options: a kit with products for installation on walls and ceilings and a bass trap kit for corners.

Depending on the size of your room, or the performance you want to achieve, by acquiring one or more of these kits you will be able to achieve the main goal of a Home Cinema: a neutral acoustic environment, that assures a clear and complete film audio experience without introducing any acoustic distortions that can compromise its perception.




VicStudio VMT Box HS CODE: 39209990 PA



VicStudio VMT Box - Grey

Contents and Dimensions



[vicoustic.com/product/vicstudio-vmt-box](https://www.vicoustic.com/product/vicstudio-vmt-box)

VMT + EPS colors

- White Wavewood VMT Pattern + White Multifuser DC3
- Black Wavewood VMT Pattern + Black Multifuser DC3
- Grey Wavewood VMT Pattern + Black Multifuser DC3


Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
VicStudio VMT Box	—	5.6	16	(3×) 1260×675×150; 1260×675×195; 610×460×615	65.6

Raw Materials: VicPET Wool, Solid Wood and Lacquered Steel; Expanded Polystyrene

Acoustic Properties: Medium frequencies
Absorption and Diffusion
NRC: 0.95 (VicSpacer Plus MKII + Flat Panel VMT)


Installation/Accessories:
VicFix J Profile, VicFix Corner, VicFix Mini and Glue (all included)

VicStudio Box HS CODE: 44189900 PA



VicStudio Box - White Matte

Contents and Dimensions



[vicoustic.com/product/vicstudio-box](https://www.vicoustic.com/product/vicstudio-box)

Laminate + EPS colors

- Brown Oak Wavewood Ultra Lite + Black Multifuser DC3
- Black Matte Wavewood Ultra Lite + Black Multifuser DC3
- White Matte Wavewood Ultra Lite + White Multifuser DC3

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
VicStudio Box	—	3.5	10	1260 × 675 × 355	21.4

Raw Materials: Standard MDF, Polyurethane Foam and High-Pressure Laminate (HPL); Expanded Polystyrene

Acoustic Properties:
Absorption / Diffusion / Bass Trap
NRC: 0.75 (Wavewood Ultra Lite)


Installation/Accessories:
VicFix Mini and Glue (all included)

Flexi Screen Ultra MKII HS CODE: 39211310 PA



Flexi Screen Ultra MKII -
Locarno Cherry

Dimensions



385 × 295 × 345 mm

www.vicoustic.com/product/flexi-screen-ultra-mkii

Laminate colors

- Black Matte
- White Matte
- Brown Oak
- Natural Oak
- Natural Walnut
- Dark Walnut
- Locarno Cherry

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
Flexi Screen Ultra MKII	385 × 295 × 345	—	1	450 × 340 × 405	3.4

Raw Materials: Polyurethane Foam, High-Pressure Laminate (HPL)


Acoustic Properties: Absorption

Installation/Accessories:
Manually assembled, all accessories included


VicDisplay Guitar / Bass **NEW** HS CODE: 39209990 **PA**



Dimensions



VicDisplay Guitar
1190 × 475 × 17 mm



VicDisplay Bass
1385 × 475 × 17 mm

PET / VMT colors



VicDisplay Guitar Black; Bass Grey; Guitar Torino Red

vicoustic.com/search/vicdisplay
For customized graphics or colors, contact: sales@vicoustic.com

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
VicDisplay Guitar	1190 × 475 × 17	—	2	1330 × 510 × 60	3.3
VicDisplay Bass	1385 × 475 × 17	—	2	1530 × 510 × 60	3.7

Raw Materials:
VicPET Wool, Plastic, Steel,
Non-marring rubber

Acoustic Properties:
Medium / High Frequencies Absorption
NRC: 0.30


Installation/Accessories: Adhesive stickers (provided) for the panel, and screws (not included) to fix the guitar holder. For better fixation, use Flexi Glue Ultra (not included)

Cinema Round Ultra Fuser HS CODE: 39211310 **HF** **PA**




Cinema Round Ultra Fuser - Brown Oak

Dimensions



595 × 595 × 170 mm

Laminate colors



vicoustic.com/product/cinema-round-ultra-fuser

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
Cinema Round Ultra Fuser	595 × 595 × 170	0.7	2	665 × 675 × 405	10.4

Raw Materials: VicPET Wool, MDF,
High-Pressure Laminate (HPL)


Acoustic Properties:
Diffuser

Installation/Accessories: VicFix J Profile 80 mm (Included); VicFix J Profile; VicFix Corner; VicFix Suspension Profile **NEW**

Wavewood Diffuser Ultra MKII HS CODE: 44189900



Wavewood Diffuser Ultra MKII - Locarno Cherry



vicoustic.com/product/wavewood-diffuser-ultra-mkii

Laminate colors	
	Black Matte
	White Matte
	Brown Oak
	Natural Oak
	Natural Walnut
	Dark Walnut
	Locarno Cherry

Product Info		Packaging Info (Box)			
Description	Size (mm)	m² / Box	Units / Box	Dimensions (mm)	Weight (kg)
Wavewood Diffuser Ultra MKII	595 × 595 × 60	1.1	3	665 × 667 × 195	5.5

Raw Materials: EPS (Expanded Polystyrene),
MDF, High-Pressure Laminate (HPL)


Acoustic Properties:
Medium frequencies Diffusion
NRC: 0.30

Installation/Accessories: VicFix Mini (included);
VicFix J Profile; Flexi Glue Ultra

Multifuser Wood MKII HS CODE: 44189900



Multifuser Wood MKII - 36: Metallic Gold; 64: Natural Wood



vicoustic.com/product/multifuser-wood-mkii

Wood colors	
	Black Matte
	White Matte
	Natural Wood
	Metallic Copper
	Metallic Gold

Product Info		Packaging Info (Box)			
Description	Size (mm)	m² / Box	Units / Box	Dimensions (mm)	Weight (kg)
36 - Natural Wood	595 × 595 × 96	0.4	1	660 × 355 × 175	13.1
36 - other colors	595 × 595 × 96	0.4	1	660 × 355 × 175	13.1
64 - Natural Wood	595 × 595 × 143	0.4	1	665 × 385 × 235	18.9
64 - other colors	595 × 595 × 143	0.4	1	665 × 385 × 235	18.9

Raw Materials: Solid Wood and Plywood
(Natural Wood); Lacquered MDF and Plywood
(Matte and Metallic colors)


Fire Rate: Europe: Euroclass E;
USA: Class B (ASTM-E84)
NRC: 36: 0.25; 64: 0.35

Acoustic Properties: Diffusion
Installation/Accessories: VicFix J Profile
80 mm (included); VicFix J Profile;
VicFix Suspension Profile^{NEW}

Multifuser DC3 HS CODE: 39203000



Multifuser DC3 - White



595 × 595 × 148 mm

EPS colors	
	Black
	White

vicoustic.com/product/multifuser-dc3

Product Info		Packaging Info (Box)			
Description	Size (mm)	m² / Box	Units / Box	Dimensions (mm)	Weight (kg)
Multifuser DC3	595 × 595 × 148	1.4	4	610 × 460 × 615	7.6

Raw Materials: EPS (Expanded Polystyrene)

Fire Rate: Europe: Euroclass F

Acoustic Properties: Medium frequencies Diffusion
Installation: VicFix Mini (included), VicFix J Profile, Flexi Glue Ultra

Mega Bass Trap VMT **NEW** HS CODE: 44189900 **HF** **PA**



Mega Bass Trap VMT - Light Grey + Grey Matte

Dimensions



680 × 384 × 1788 mm

VMT colors

- Natural White
- Black
- Grey
- Light Grey
- Beige

Frame Colors

- White Matte
- Black Matte
- Grey Matte

vicoustic.com/product/mega-bass-trap-vmt

Product Info		Packaging Info (Box)			
Description	Size (mm)	m² / Box	Units / Box	Dimensions (mm)	Weight (kg)
Mega Bass Trap VMT	680 × 384 × 1788	2.4	2 / 2 boxes	1845 × 700 × 155; 620 × 1133 × 125	36.0

Raw Materials: VicPET Wool, Solid Wood, Lacquered Steel

Acoustic Properties: Broadband absorption; Bass Trap

Installation/Accessories:


Mechanical Fixation; MBT VMT Horizontal Kit

Mega Bass Trap VMT XXL **NEW** HS CODE: 44189900 **HF** **PA**



Mega Bass Trap VMT XXL - Grey + Grey Matte

Dimensions



2380 × 1279 × 683 mm

VMT colors

- Natural White
- Black
- Grey
- Light Grey
- Beige

Frame colors

- White Matte
- Black Matte
- Grey Matte

vicoustic.com/product/mega-bass-trap-vmt-xxl

Product Info		Packaging Info (Box)			
Description	Size (mm)	m² / Box	Units / Box	Dimensions (mm)	Weight (kg)
Mega Bass Trap VMT XXL	2380 × 1279 × 683	6.08	2 / 4 boxes	(2×) 2470 × 1285 × 90; (2×) 1140 × 640 × 330	86.5

Raw Materials: VicPET Wool, Solid Wood, Lacquered Steel

Acoustic Properties: Broadband absorption; Bass Trap

Installation/Accessories: Mechanical Fixation



Mega Bass Trap VMT & VMT XXL

Two next generation broadband bass traps to deal with low end, medium, and high frequencies all in a single product, making them likely the best solution in the market to control the complete audible frequency spectrum.

Vicoustic was able to develop a product with superb acoustic performance, mostly made of recycled materials (plastic water bottles), that is recyclable at the end of life and that also takes into account air quality and human safety.


The bass traps are certified for Indoor Advantage™ Gold Building Materials, by SCS Global Services, meeting indoor air quality recommendations.

Like any other VMT product, the front is totally customizable, enabling the client to print his own label, signage, pattern, or color of preference.

Super Bass Extreme Ultra HS CODE: 44189900 HF PA



Super Bass Extreme Ultra - Natural Walnut



vicoustic.com/product/super-bass-extreme-ultra





Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
Natural and Dark Walnut	595 × 595 × 155	0.7	2	650 × 375 × 630	13.5
Other Laminate colors	595 × 595 × 155	0.7	2	650 × 375 × 630	13.5

Raw Materials: VicPET Wool, Vicycle, MDF, High-Pressure Laminate (HPL)
Acoustic Properties: Low Frequencies Absorption; Bass Trap
Installation/Accessories: VicFix J Profile 80 mm (included); VicFix J Profile; Manually assembled (no tools required); VicFix Corner; Flexi Glue Ultra; VicFix Suspension Profile ^{NEW}

Super Bass Extreme Ultra VMT HS CODE: 44189900 HF PA



Super Bass Extreme VMT - Dark Walnut + Beige



vicoustic.com/product/super-bass-extreme-vmt


Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
Super Bass Extreme Ultra VMT	595 × 595 × 155	0.7	2	650 × 375 × 630	13.5

Raw Materials: VicPET Wool, Vicycle, MDF, High-Pressure Laminate (HPL)
Acoustic Properties: Low Frequencies Absorption; Bass Trap
Installation/Accessories: VicFix J Profile 80 mm (included); VicFix J Profile; Manually assembled (no tools required); VicFix Corner; Flexi Glue Ultra; VicFix Suspension Profile ^{NEW}

Vari Bass Ultra HS CODE: 44189900 HF PA



Vari Bass Ultra - Brown Oak



vicoustic.com/product/vari-bass-ultra



Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
Vari Bass Ultra	Ø 370 × 600	—	2	745 × 415 × 600	18.6

Raw Materials: High-Pressure Laminate (HPL), MDF, Foam covered with grey fabric
Acoustic Properties: Absorption / Bass Trap
Installation/Accessories: Manually assembled (no tools required)


VicTotem Ultra VMT

HS CODE: 44189900



VicTotem Ultra VMT
- Locarno Cherry + 23a

Dimensions and Components




1 Unit includes
3 modules + 1 base
1857 × 595 × 366 mm

Laminate colors



VMT
colors



vicoustic.com/product/victotem-ultra-vmt
vicoustic.com/product/victotem-ultra-vmt-extra-module

Product Info		Packaging Info (Box)			
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
VicTotem Ultra VMT	1857 × 595 × 366	—	1 (4 boxes)	(3 ×) 665 × 675 × 355 + (1 ×) 650 × 405 × 60	33.3
Extra module	595 × 595 × 366	—	1	665 × 675 × 355	9.0

Raw Materials: VicPET Wool, Vicycle, MDF,
High-Pressure Laminate (HPL), Inox

Acoustic Properties:
Low to High Frequency Absorption and
Diffusion; Bass Trap

Installation/Accessories:
Manually assembled (no tools required)

Budget Line HF PA

Product Info			Packaging Info (Box)			
	Description	Size (mm)	m² / Box	Units / Box	Dimensions (mm)	Weight (kg)
	Cinema Round	595 × 595 × 75	2.8	8	630 × 630 × 620	6.5
	Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Medium and High Frequencies Absorption; NRC: 0,85					
	Flexi A50	600 × 600 × 50	4.3	12	630 × 630 × 620	5.9
			2.2	6	630 × 630 × 345	3.7
Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Medium and High Frequencies Absorption; NRC: 0,60						
	Flexi Kick Drum	600 × 505 × 60	—	1	600 × 505 × 60	0.6
	Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Bass Drum Harmonic Control					
	Flexi Screen Lite V.2	438 × 295 × 355	—	6	255 × 255 × 255	5.1
	Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Mobile Acoustic Shield					
	Flexi Wall	1830 × 600 × 200	3.2	3	620 × 620 × 495	11.4
	Raw Materials: Polyurethane Foam, Stainless steel, MDF and HPL ; Fire Rate: Europe: Euroclass F; Acoustic Properties: High Frequencies Absorption					
	MD55 Super Kit	300 × 300 × 55	5.8	64	630 × 630 × 620	7.5
	MD55 Super Kit Light		2.9	32	620 × 620 × 335	4.4
Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Medium and High Frequencies Absorption; NRC: 0,60						
	Super Bass 90	600 × 300 × 340	—	4	630 × 630 × 620	7.0
	Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Low Frequencies Absorption, Bass Trap					
	Pulsar Panel	600 × 600 × 57	5.8	16	630 × 630 × 620	7.6
			2.9	8	630 × 630 × 345	4.4
Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: High Frequencies Absorption; NRC: 0,60						
	Mega Fuser Bass Trap	600 × 300 × 260	—	8	630 × 630 × 620	7.3
	Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Low Frequencies Absorption, Bass Trap					
	Mix Kit Pulsar	—	—	12	630 × 630 × 620	7.6
	8 Pulsar Panel + 4 Mega Fuser Bass Trap					
	Wavewood Diffuser EPS MKII - Grey	595 × 595 × 45	3.5	10	630 × 630 × 510	8.0
	Raw Materials: EPS (Expanded Polystyrene); Fire Rate: Europe: Euroclass E; Acoustic Properties: Medium Frequencies Diffusion; NRC: 0,15					

Insulation Solutions



Product Info			Packaging Info (Box)			
	Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)
	Iso Blanket	5000 × 1000 × 4	5.0	1	Ø200 × 100	39.8
	Iso Blanket Pro	5000 × 1000 × 10	5.0	1	Ø300 × 100	23.0
	Iso Underfloor	50000 × 1500 × 5	75.0	1	Ø600 × 1500	12.2
	Iso Wall Decoupling	10000 × 100 × 10	—	1	Ø300 × 100	0.5
	Rubberstrip	10000 × 10 × 5	—	1	270 × 270 × 13	1.0
	ViCycle 40 mm	1000 × 600 × 40	4.8	8	1000 × 600 × 320	12.2
	ViCycle 60 mm	1000 × 600 × 60	3.0	5	1000 × 600 × 300	10.4
	ViCork Lat 30	30 × 30 × 30	—	3	—	—
	VicVibro RCH1.01	—	—	50	323 × 238 × 143	4.8
Type of system: Rubber; Suitable for: Ceilings; Suitable profile size: 45/47 mm; Load range (per unit): 80-300 N						
	VicVibro RWM1.01	—	—	50	323 × 238 × 143	6,4
Type of system: Rubber; Suitable for: Structural Walls; Suitable profile size: 48/70/90 mm; Load range (per unit): 20-150 N (elong.); 50-400 N (comp.)						
	VicVibro RWM2.03	—	—	50	323 × 238 × 143	6,4
Type of system: Rubber; Suitable for: Double-stud walls; Suitable profile size: 48/70/90 mm; Load range (per unit): 20-150 N (elong.); 50-400 N (comp.)						
	VicVibro SCH.01	—	—	40	323 × 238 × 143	4.8
Type of system: Hybrid (Rubber + Spring); Suitable for: Ceilings; Suitable profile size: 60 mm; Load range (per unit): 150-300 N						
	VicVibro SWM1.01	—	—	50	323 × 238 × 143	11.6
Type of system: Hybrid (Rubber + Spring); Suitable for: Structural Walls; Suitable profile size: 48/70/90 mm; Load range (per unit): 150-300 N						
	VicVibro SWM2.01	—	—	50	323 × 238 × 143	11.6
Type of system: Hybrid (Rubber + Spring); Suitable for: Double-stud walls; Suitable profile size: 48/70/90 mm; Load range (per unit): 150-300 N						
	VicVibro WS50	—	—	200	625 × 329 × 188	14.9
Type of system: Rubber; Suitable for: Floating walls/partitions; Suitable profile size: 50 mm (U-runner profiles); Load range (per unit): 800 N						

Accessories

HF PA PS WS

Product Info		Packaging Info (Box)			
Description	Size (mm)	Units / Box	Dimensions (mm)	Weight (kg)	
 AluFrame VMT T ● Black ● Silver ● Gold	8 × 1.9 × 3000	8	Ø 85 × 3050	5.4	
 AluFrame VicWallpaper ● Black ● Silver ● Gold	8 × 4.6 × 3000	4	Ø 85 × 3050	3.3	
 Flexi Glue Ultra 290 mL/tube	—	12	210 × 160 × 240	6.0	
 Mega Bass Trap VMT Horizontal Kit ^{NEW} ○ White Matte ● Black Matte ● Grey Matte	380 × 384 × 40	1	805 × 405 × 55	3.4	
 Stand Alone Lite Black MDF, lacquer aluminum	2001 × 595 × 430	1 (2 boxes)	(Box 1) 2055 × 655 × 75 (Box 2) 675 × 600 × 110	30.8	
 Stand Alone MKII Black MDF, lacquered aluminum	1833 × 525 × 604	1 (2 boxes)	(Box 1) 1910 × 680 × 145 (Box 2) 680 × 600 × 110	31.0	
 Super Bass Extreme Base	595 × 353 × 12	1	650 × 405 × 55	2.4	
 Suspended Baffle Set Connector ^{NEW} ● Black ○ White	24 × 26 × 720	2	Ø 85 × 1105	2.0	
 Vari Bass Stacker	Ø 368 × 402	1	510 × 510 × 100	2.0	
 VicFix Base	595 × 595 × 12	2	630 × 610 × 40	3.0	
 VicFix Corner Plus Includes 8 VicFix J Profile 80 mm	80 × 83 × 21.5	4 rights + 4 lefts	175 × 105 × 35	0.7	

Accessories HF PA PS WS


Product Info			Packaging Info (Box)		
Description	Size (mm)	Units / Box	Dimensions (mm)	Weight (kg)	
 VicFix Frame 1 × 3	1600 × 400 × 21	1	1610 × 500 × 50	2.0	
 VicFix Frame 2 × 2	1000 × 1000 × 21	1	1100 × 900 × 50	3.0	
 VicFix Gauge	50 × 10 × 650	2	Ø 85 × 700	0.8	
 VicFix J Profile	20 × 10 × 2000	20	Ø 85 × 2100	7.6	
		5	Ø 75 × 2100	2.7	
 VicFix J Profile 80 mm	20 × 10 × 80	4	80 × 120	0.1	
 VicFix J Profile End Cap ^{NEW}	64 × 80	4	120 × 85 × 11	0.01	
 VicFix Magnetic Round Metal Plate, Magnet, Rubber Caps and Screw	Ø 20 (Magnet) Ø 150 (Plate)	6	170 × 170 × 70	0.6	
 VicFix Metallic	75 × 10	10	85 × 55	0.2	
 VicFix Mini	20 × 10 × 76	4	85 × 120	0.1	
 VicFix Sticker ^{NEW}	150 × 150	8	175 × 105 × 35	0.1	
 VicFix Suspension Profile ^{NEW}	9 × 28 × 1190	4	Ø 65 × 1250	2.2	
	9 × 28 × 595	4	Ø 65 × 710	1.0	
	9 × 28 × 225	4	Ø 65 × 840	1.0	
 VicFix T-Bar	39 × 33 × 24	12	175 × 105 × 35	0.2	
 VicPattern Ultra Upgrade Kit ^{NEW}	567 × 567 × 20	3	568 × 568 × 60	1.3	
 VicStrip Display Black MDF, lacquer aluminum	2001 × 595 × 430	1 (2 boxes)	(Box 1) 2055 × 655 × 75 (Box 2) 675 × 600 × 110	30.8	

VicBooth Ultra **Vocal Booth** HS CODE: 44189990 PA



- Components**
- 1 Module 1 × 1
 - 1 Door with Window
 - 1 Side with Window
 - 2 Sides with VicFix
 - 2 VicBooth Ultra Pack 1
(4 Cinema Round Premium, Black)

- Available finishes**
-  Black
 -  White
 -  Natural Oak



Product Info		Packaging Information		
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)
 VICB037	Black	1 unit / 9 boxes	(1×)2120 × 255 × 190	219
 VICB038	White		+ (2×)1100 × 1100 × 160 +	
 VICB039	Natural Oak		(4×)2210 × 1000 × 100 + (2×)1260 × 675 × 195	


Raw Materials: Refer to the Product Info available at www.vicoustic.com
Noise Isolation Class (NIC)*: 30; **NIC (w/ CRP)**** 31

VicBooth Ultra **Vocal Booth with Built-in Light & Ventilation** NEW HS CODE: 44189990 PA



- Components**
- 1 Module 1 × 1 - EU electric system
 - 1 Door with Window
 - 1 Side with Window
 - 2 Sides with VicFix
 - 2 VicBooth Ultra Pack 1
(4 Cinema Round Premium, Black)

- Available finishes**
-  Black
 -  White
 -  Natural Oak



Product Info		Packaging Information			MSRP
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
 VICB097	Black	1 unit / 9 boxes	(1×)2120 × 255 × 190	219	3,943.00€
 VICB098	White		+ (2×)1100 × 1100 × 160 +		
 VICB099	Natural Oak		(4×)2210 × 1000 × 100 + (2×)1260 × 675 × 195		

Raw Materials: Refer to the Product Info available at www.vicoustic.com
Noise Isolation Class (NIC)*: 30; **NIC (w/ CRP)**** 31

For **VicBooth separate components prices**, contact your Key Account Manager — sales@vicoustic.com
You can configure your booth at vicbooth.vicoustic.com/ultra/configurator

* Measurements taken according to ASTM E595 and NIC Value calculated according to ASTM E413. **Measurements were taken with 2 Cinema Round Premium in each wall.

VicBooth Ultra Practice Room HS CODE: 44189990 PA




- Components**
- 1 Module 1 x 2
 - 1 Door with Window
 - 5 Sides with VicFix
 - 2 VicBooth Ultra Pack 1
(4 Cinema Round Premium, Black)
 - 2 VicBooth Ultra Pack 2
(4 VicPattern Ultra Wavewood, Black Matte)

Available finishes

- Black
- White
- Natural Oak

Dimensions



1076 x 2030 x 2230 mm (Ext.)
968 x 1968 x 2008 mm (Int.)

Product Info		Packaging Information		
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)
 VICB040	Black	1 unit / 16 boxes	(2 x) 2120 x 255 x 190	353
 VICB041	White		+ (4 x) 1100 x 1100 x 160 +	
 VICB042	Natural Oak		(6 x) 2210 x 1000 x 100 + (4 x) 1260 x 675 x 195	

Raw Materials: Refer to the Product Info available at www.vicoustic.com
Noise Isolation Class (NIC)*: 31; **NIC (w/ CRP)**** 32

VicBooth Ultra Practice Room with Built-in Light & Ventilation NEW HS CODE: 44189990 PA




- Components**
- 1 Module 1 x 2 - EU electric system
 - 1 Door with Window
 - 5 Sides with VicFix
 - 2 VicBooth Ultra Pack 1
(4 Cinema Round Premium, Black)
 - 2 VicBooth Ultra Pack 2
(4 VicPattern Ultra Wavewood, Black Matte)

Available finishes

- Black
- White
- Natural Oak

Dimensions



1076 x 2030 x 2230 mm (Ext.)
968 x 1968 x 2008 mm (Int.)

Product Info		Packaging Information		
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)
 VICB100	Black	1 unit / 16 boxes	(2 x) 2120 x 255 x 190	353
 VICB101	White		+ (4 x) 1100 x 1100 x 160 +	
 VICB102	Natural Oak		(6 x) 2210 x 1000 x 100 + (4 x) 1260 x 675 x 195	

Raw Materials: Refer to the Product Info available at www.vicoustic.com
Noise Isolation Class (NIC)*: 31; **NIC (w/ CRP)**** 32

For **VicBooth separate components prices**, contact your Key Account Manager — sales@vicoustic.com
 You can configure your booth at vicbooth.vicoustic.com/ultra/configurator


* Measurements taken according to ASTM E595 and NIC Value calculated according to ASTM E413. **Measurements were taken with 2 Cinema Round Premium in each wall.

VicBooth Ultra **Control Room** HS CODE: 44189990 PA



- Components**
- 1 Module 2 × 2
 - 1 Door with Window
 - 2 Sides with Window
 - 5 Sides with VicFix
 - 2 VicBooth Ultra Pack 1
(4 Cinema Round Premium, Black)
 - 2 VicBooth Ultra Pack 2
(4 VicPattern Ultra Wavewood, Black Matte)

- Available finishes**
-  Black
 -  White
 -  Natural Oak



Product Info		Packaging Information			MSRP
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
 VICB043	Black	1 unit / 23 boxes	(3 ×) 2120 × 255 × 190	583	7,881.00€
 VICB044	White		+ (8 ×) 1100 × 1100 × 160 +		
 VICB045	Natural Oak		(8 ×) 2210 × 1000 × 100 + (4 ×) 1260 × 675 × 195		


Raw Materials: Refer to the Product Info available at www.vicoustic.com
Noise Isolation Class (NIC)*: 31; **NIC (w/ CRP)**** 32

VicBooth Ultra **Control Room with Built-in Light & Ventilation** NEW HS CODE: 44189990 PA



- Components**
- 1 Module 2 × 2 - EU electric system
 - 1 Door with Window
 - 2 Sides with Window
 - 5 Sides with VicFix
 - 2 VicBooth Ultra Pack 1
(4 Cinema Round Premium, Black)
 - 2 VicBooth Ultra Pack 2
(4 VicPattern Ultra Wavewood, Black Matte)

- Available finishes**
-  Black
 -  White
 -  Natural Oak



Product Info		Packaging Information			
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
 VICB103	Black	1 unit / 23 boxes	(3 ×) 2120 × 255 × 190	583	
 VICB104	White		+ (8 ×) 1100 × 1100 × 160 +		
 VICB105	Natural Oak		(8 ×) 2210 × 1000 × 100 + (4 ×) 1260 × 675 × 195		

Raw Materials: Refer to the Product Info available at www.vicoustic.com
Noise Isolation Class (NIC)*: 31; **NIC (w/ CRP)**** 32

For **VicBooth separate components prices**, contact your Key Account Manager — sales@vicoustic.com
You can configure your booth at vicbooth.vicoustic.com/ultra/configurator

* Measurements taken according to ASTM E595 and NIC Value calculated according to ASTM E413. **Measurements were taken with 2 Cinema Round Premium in each wall.

VicBooth Ultra Recording Room HS CODE: 44189990 PA





Components

- 1 Module 2 × 2
- 1 Door with Window
- 1 Side with Window
- 6 Sides with VicFix
- 2 VicBooth Ultra Pack 1 (4 Cinema Round Premium, Black)
- 4 VicBooth Ultra Pack 2 (8 VicPattern Ultra Wavewood, Black Matte)

Available finishes

- Black
- White
- Natural Oak

Dimensions



2076 × 2030 × 2230 mm (Ext.)
1968 × 1968 × 2008 mm (Int.)

Product Info		Packaging Information		
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)
● VICB046	Black	1 unit / 25 boxes	(3 ×) 2120 × 255 × 190	575
○ VICB047	White		+ (8 ×) 1100 × 1100 × 160 +	
● VICB048	Natural Oak		(8 ×) 2210 × 1000 × 100 + (6 ×) 1260 × 675 × 195	

Raw Materials: Refer to the Product Info available at www.vicoustic.com

Noise Isolation Class (NIC)*: 31; **NIC (w/ CRP)**** 32

VicBooth Ultra Recording Room HS CODE: 44189990 PA NEW





Components

- 1 Module 2 × 2 - EU electric system
- 1 Door with Window
- 1 Side with Window
- 6 Sides with VicFix
- 2 VicBooth Ultra Pack 1 (4 Cinema Round Premium, Black)
- 4 VicBooth Ultra Pack 2 (8 VicPattern Ultra Wavewood, Black Matte)

Available finishes

- Black
- White
- Natural Oak

Dimensions



2076 × 2030 × 2230 mm (Ext.)
1968 × 1968 × 2008 mm (Int.)

Product Info		Packaging Information		
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)
● VICB106	Black	1 unit / 25 boxes	(3 ×) 2120 × 255 × 190	575
○ VICB107	White		+ (8 ×) 1100 × 1100 × 160 +	
● VICB108	Natural Oak		(8 ×) 2210 × 1000 × 100 + (6 ×) 1260 × 675 × 195	

Raw Materials: Refer to the Product Info available at www.vicoustic.com

Noise Isolation Class (NIC)*: 31; **NIC (w/ CRP)**** 32

For **VicBooth separate components prices**, contact your Key Account Manager — sales@vicoustic.com
You can configure your booth at vicbooth.vicoustic.com/ultra/configurator


* Measurements taken according to ASTM E595 and NIC Value calculated according to ASTM E413. ** Measurements were taken with 2 Cinema Round Premium in each wall.

VicBooth Ultra Control Room 2 × 3 HS CODE: 44189990 PA



- Components**
- 1 Module 2 × 3
 - 1 Door with Window
 - 2 Sides with Window
 - 7 Sides with VicFix
 - 2 VicBooth Ultra Pack 1 (4 Cinema Round Premium, Black)
 - 4 VicBooth Ultra Pack 2 (8 VicPattern Ultra Wavewood, Black Matte)

- Available finishes**
-  Black
 -  White
 -  Natural Oak



Product Info		Packaging Information		
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)
 VICB055	Black	1 unit / 32 boxes	(4 ×) 2120 × 255 × 190	797
 VICB056	White		+ (12 ×) 1100 × 1100 × 160 +	
 VICB057	Natural Oak		(10 ×) 2210 × 1000 × 100 + (6 ×) 1260 × 675 × 195	


Raw Materials: Refer to the Product Info available at www.vicoustic.com
Noise Isolation Class (NIC)*: TBA; **NIC (w/ CRP)**** TBA

VicBooth Ultra Control Room 2 × 3 HS CODE: 44189990 PA with Built-in Light & Ventilation NEW



- Components**
- 1 Module 2 × 3
 - EU electric system
 - 1 Door with Window
 - 2 Sides with Window
 - 7 Sides with VicFix
 - 2 VicBooth Ultra Pack 1 (4 Cinema Round Premium, Black)
 - 4 VicBooth Ultra Pack 2 (8 VicPattern Ultra Wavewood, Black Matte)

- Available finishes**
-  Black
 -  White
 -  Natural Oak



Product Info		Packaging Information		
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)
 VICB109	Black	1 unit / 32 boxes	(4 ×) 2120 × 255 × 190	797
 VICB110	White		+ (12 ×) 1100 × 1100 × 160 +	
 VICB111	Natural Oak		(10 ×) 2210 × 1000 × 100 + (6 ×) 1260 × 675 × 195	

Raw Materials: Refer to the Product Info available at www.vicoustic.com
Noise Isolation Class (NIC)*: TBA; **NIC (w/ CRP)**** TBA

For **VicBooth separate components prices**, contact your Key Account Manager — sales@vicoustic.com
You can configure your booth at vicbooth.vicoustic.com/ultra/configurator

* Measurements taken according to ASTM E595 and NIC Value calculated according to ASTM E413. **Measurements were taken with 2 Cinema Round Premium in each wall.

VicBooth Ultra Recording Room 2 × 3

HS CODE: 44189990 PA


Components

- 1 Module 2 × 3
- 1 Door with Window
- 2 Side with Window
- 7 Sides with VicFix
- 3 VicBooth Ultra Pack 1 (6 Cinema Round Premium, Black)
- 4 VicBooth Ultra Pack 2 (8 VicPattern Ultra Wavewood, Black Matte)

Available finishes

- Black
- White
- Natural Oak

Dimensions



2076 × 3030 × 2230 mm (Ext.)
1968 × 2968 × 2008 mm (Int.)

Product Info		Packaging Information			MSRP
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
 VICB058	Black	1 unit / 33 boxes	(4 ×) 2120 × 255 × 190	797	10,858.00 €
 VICB059	White		+ (12 ×) 1100 × 1100 × 160 +		
 VICB060	Natural Oak		(10 ×) 2210 × 1000 × 100 + (7 ×) 1260 × 675 × 195		

Raw Materials: Refer to the Product Info available at www.vicoustic.com

Noise Isolation Class (NIC)*: TBA; **NIC (w/ CRP)**** TBA

VicBooth Ultra Recording Room 2 × 3 with Built-in Light & Ventilation NEW

HS CODE: 44189990 PA


Components

- 1 Module 2 × 3
 - EU electric system
- 1 Door with Window
- 2 Side with Window
- 7 Sides with VicFix
- 3 VicBooth Ultra Pack 1 (6 Cinema Round Premium, Black)
- 4 VicBooth Ultra Pack 2 (8 VicPattern Ultra Wavewood, Black Matte)

Available finishes

- Black
- White
- Natural Oak

Dimensions



2076 × 3030 × 2230 mm (Ext.)
1968 × 2968 × 2008 mm (Int.)

Product Info		Packaging Information			
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
 VICB112	Black	1 unit / 33 boxes	(4 ×) 2120 × 255 × 190	797	
 VICB113	White		+ (12 ×) 1100 × 1100 × 160 +		
 VICB114	Natural Oak		(10 ×) 2210 × 1000 × 100 + (7 ×) 1260 × 675 × 195		

Raw Materials: Refer to the Product Info available at www.vicoustic.com

Noise Isolation Class (NIC)*: TBA; **NIC (w/ CRP)**** TBA

For **VicBooth separate components prices**, contact your Key Account Manager — sales@vicoustic.com
You can configure your booth at vicbooth.vicoustic.com/ultra/configurator

* Measurements taken according to ASTM E595 and NIC Value calculated according to ASTM E413. ** Measurements were taken with 2 Cinema Round Premium in each wall.

VicBooth Office Phone Booth

HS CODE: 44189990




Components

- 1 Module 1 x 1
(incl. 1 EU Ventilation Unit
+ 1 Power Strip / USB Charger)
- 1 Door with Window
- 1 Side with Shelf
- 1 Standard Side
- 1 Side with Large Window

Available finishes

- Black
- White
- Natural Oak

Dimensions



1076 × 1030 × 2277 mm (Ext.)
968 × 968 × 2008 mm (Int.)

Product Info		Packaging Information		
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)
VICBOF061	Black	1 unit / 9 boxes	(1×)2120 × 255 × 190 + (2×)1100 × 1100 × 160	233 (avg.)
VICBOF062	White		+ (4×)2210 × 1000 × 100 + (1×)410 × 250 × 85	
VICBOF063	Natural Oak		+ (1×)530 × 205 × 120	

Raw Materials: Refer to the Product Info available at www.vicoustic.com

Speech Level Reduction: Class B enclosure (ISO 23351-1)*

VicBooth Office Phone Booth with Built-in Light & Ventilation

NEW

HS CODE: 44189990




Components

- 1 Module 1 x 1 - EU electric system
(incl. 1 Power Strip / USB Charger)
- 1 Door with Window
- 1 Side with Shelf
- 1 Standard Side
- 1 Side with Large Window

Available finishes

- Black
- White
- Natural Oak

Dimensions



1076 × 1030 × 2230 mm (Ext.)
968 × 968 × 2008 mm (Int.)

Product Info		Packaging Information		
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)
VICBOF121	Black	1 unit / 8 boxes	(1×)2120 × 255 × 190 + (2×)1100 × 1100 × 160	233 (avg.)
VICBOF122	White		+ (4×)2210 × 1000 × 100 + (1×)410 × 250 × 85	
VICBOF123	Natural Oak			

Raw Materials: Refer to the Product Info available at www.vicoustic.com

Speech Level Reduction: Class B enclosure (ISO 23351-1)*

For **VicBooth separate components prices**, contact your Key Account Manager — sales@vicoustic.com

You can configure your booth at vicbooth.vicoustic.com/office/configurator

* According to the Speech Level Reduction parameter measurements, meaning it can provide acceptable speech privacy in modern office spaces.

VicBooth Office

Duo with Built-in Light & Ventilation NEW HS CODE: 44189990 WS




Components

- 1 Module 1 x 2 - EU electric system (incl. 1 Power Strip / USB Charger)
- 1 Door with Window
- 4 Standard Side
- 1 Side with Large Window
- 1 Desk 1 x 2

Available finishes

- Black ○ White
- Natural Oak

Dimensions



1076 x 2030 x 2230 mm (Ext.)
968 x 1968 x 2008 mm (Int.)

Product Info		Packaging Information		
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)
● VICBOF166	Black	1 unit / 8 boxes	(2x)2120 x 255 x 190 + (4x)1100 x 1100 x 160 + (6x)2210 x 1000 x 100 + (1x)410 x 250 x 85 + (1x)840 x 575 x 130	384 (avg.)
○ VICBOF167	White			
● VICBOF168	Natural Oak			

Raw Materials: Refer to the Product Info available at www.vicoustic.com
Speech Level Reduction: Class B enclosure (ISO 23351-1)*



For **VicBooth separate components prices**, contact your Key Account Manager — sales@vicoustic.com
You can configure your booth at vicbooth.vicoustic.com/office/configurator

* According to the Speech Level Reduction parameter measurements, meaning it can provide acceptable speech privacy in modern office spaces.

VicBooth Office Chat Booth WS

HS CODE: 44189990




Components

- 1 Module 1 × 3 (incl. 2 EU Ventilation Units + 1 Power Strip / USB Charger)
- 1 Door with Window
- 1 Left Door with Window
- 1 Side with Large Window
- 2 Sides with Window
- 3 Standard Sides

Available finishes

- Black
- White
- Natural Oak

Dimensions



1076 × 3030 × 2277 mm (Ext.)
968 × 2968 × 2008 mm (Int.)

Product Info		Packaging Information		
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)
 VICBOF064	Black	1 unit / 20 boxes	(3 ×) 2120 × 255 × 190 + (6 ×) 1100 × 1100 × 160 + (8 ×) 2210 × 1000 × 100 + (1 ×) 410 × 250 × 85 + (2 ×) 530 × 205 × 120	546 (avg.)
 VICBOF065	White			
 VICBOF066	Natural Oak			

Raw Materials: Refer to the Product Info available at www.vicoustic.com

Speech Level Reduction: Class B enclosure (ISO 23351-1)*

VicBooth Office Chat Booth with Built-in Light & Ventilation NEW WS

HS CODE: 44189990




Components

- 1 Module 1 × 3 - EU electric system (incl. 1 Power Strip / USB Charger)
- 1 Door with Window
- 1 Left Door with Window
- 1 Side with Large Window
- 2 Sides with Window
- 3 Standard Sides

Available finishes

- Black
- White
- Natural Oak

Dimensions



1076 × 3030 × 2230 mm (Ext.)
968 × 2968 × 2008 mm (Int.)

Product Info		Packaging Information		
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)
 VICBOF124	Black	1 unit / 19 boxes	(3 ×) 2120 × 255 × 190 + (6 ×) 1100 × 1100 × 160 + (8 ×) 2210 × 1000 × 100 + (1 ×) 410 × 250 × 85	546 (avg.)
 VICBOF125	White			
 VICBOF126	Natural Oak			

Raw Materials: Refer to the Product Info available at www.vicoustic.com

Speech Level Reduction: Class B enclosure (ISO 23351-1)*

For **VicBooth separate components prices**, contact your Key Account Manager — sales@vicoustic.com
You can configure your booth at vicbooth.vicoustic.com/office/configurator

* According to the Speech Level Reduction parameter measurements, meaning it can provide acceptable speech privacy in modern office spaces.

VicBooth Office **Focus Cube**

HS CODE: 44189990




Components

- 1 Module 2 × 2 (incl. 2 EU Ventilation Units + 1 Power Strip / USB Charger)
- 1 Door with Window
- 3 Side with Large Window
- 4 Standard Sides

Available finishes

- Black
- White
- Natural Oak

Dimensions



2076 × 2030 × 2277 mm (Ext.)
1968 × 1968 × 2008 mm (Int.)

Product Info		Packaging Information		
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)
VICBOF067	Black	1 unit / 22 boxes	(3 ×) 2120 × 255 × 190 + (8 ×) 1100 × 1100 × 160	628 (avg.)
VICBOF068	White		+ (8 ×) 2210 × 1000 × 100 + (1 ×) 410 × 250 × 85	
VICBOF069	Natural Oak		+ (2 ×) 530 × 205 × 120	

Raw Materials: Refer to the Product Info available at www.vicoustic.com
Speech Level Reduction: Class B enclosure (ISO 23351-1)*

VicBooth Office
Focus Cube with Built-in Light & Ventilation

NEW

HS CODE: 44189990




Components

- 1 Module 2 × 2 - EU electric system (incl. 1 Power Strip / USB Charger)
- 1 Door with Window
- 3 Side with Large Window
- 4 Standard Sides

Available finishes

- Black
- White
- Natural Oak

Dimensions



2076 × 2030 × 2230 mm (Ext.)
1968 × 1968 × 2008 mm (Int.)

Product Info		Packaging Information		
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)
VICBOF127	Black	1 unit / 21 boxes	(3 ×) 2120 × 255 × 190 + (8 ×) 1100 × 1100 × 160	628 (avg.)
VICBOF128	White		+ (8 ×) 2210 × 1000 × 100 + (1 ×) 410 × 250 × 85	
VICBOF129	Natural Oak			

Raw Materials: Refer to the Product Info available at www.vicoustic.com
Speech Level Reduction: Class B enclosure (ISO 23351-1)*

For **VicBooth separate components prices**, contact your Key Account Manager — sales@vicoustic.com
You can configure your booth at vicbooth.vicoustic.com/office/configurator

* According to the Speech Level Reduction parameter measurements, meaning it can provide acceptable speech privacy in modern office spaces.

VicBooth Office Meeting Booth HS CODE: 44189990 WS




Components

- 1 Module 2 × 3 (incl. 2 EU Ventilation Units + 1 Power Strip / USB Charger)
- 1 Door with Window
- 4 Sides with Large Windows
- 5 Standard Sides

Available finishes

- Black
- White
- Natural Oak

Dimensions



2076 × 3030 × 2277 mm (Ext.)
1968 × 2968 × 2008 mm (Int.)

Product Info		Packaging Information			
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
 VICBOF070	Black	1 unit / 31 boxes	(4 ×)2120 × 255 × 190	875 (avg.)	
 VICBOF071	White		+ (12 ×)1100 × 1100 × 160		
 VICBOF072	Natural Oak		+ (10 ×)2210 × 1000 × 100 + (1 ×)410 × 250 × 85 + (2 ×)530 × 205 × 120		

Raw Materials: Refer to the Product Info available at www.vicoustic.com

Speech Level Reduction: Class B enclosure (ISO 23351-1)*

VicBooth Office Meeting Booth with Built-in Light & Ventilation NEW HS CODE: 44189990 WS




Components

- 1 Module 2 × 3 - EU electric system (incl. 1 Power Strip / USB Charger)
- 1 Door with Window
- 4 Sides with Large Windows
- 5 Standard Sides

Available finishes

- Black
- White
- Natural Oak

Dimensions



2076 × 3030 × 2230 mm (Ext.)
1968 × 2968 × 2008 mm (Int.)

Product Info		Packaging Information		
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)
 VICBOF130	Black	1 unit / 27 boxes	(4 ×)2120×255×190	875 (avg.)
 VICBOF131	White		+ (12 ×)1100×1100×160	
 VICBOF132	Natural Oak		+ (10 ×)2210×1000×100 + (2 ×)530×205×120	

Raw Materials: Refer to the Product Info available at www.vicoustic.com

Speech Level Reduction: Class B enclosure (ISO 23351-1)*

For **VicBooth separate components prices**, contact your Key Account Manager — sales@vicoustic.com
You can configure your booth at vicbooth.vicoustic.com/office/configurator

* According to the Speech Level Reduction parameter measurements, meaning it can provide acceptable speech privacy in modern office spaces.

VicBooth Office Conference Booth

HS CODE: 44189990 WS

3076 × 4030 × 2277 mm (Ext.)
2968 × 3968 × 2008 mm (Int.)


Components

- 1 Module 3 × 4
(incl. 4 EU Ventilation Units
+ 1 Power Strip / USB Charger)
- 1 Door with Window
- 6 Sides with Large Windows
- 7 Standard Sides

Available finishes

- Black
- White
- Natural Oak

Dimensions



Product Info		Packaging Information		
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)
 VICBOF073	Black	1 unit / 49 boxes	(6 ×) 2120 × 255 × 190	1370 (avg.)
 VICBOF074	White		+ (24 ×) 1100 × 1100 × 160	
 VICBOF075	Natural Oak		+ (14 ×) 2210 × 1000 × 100	
			+ (1 ×) 410 × 250 × 85	
			+ (4 ×) 530 × 205 × 120	

Raw Materials: Refer to the Product Info available at www.vicoustic.com

Speech Level Reduction: Class B enclosure (ISO 23351-1)*

VicBooth Office Conference Booth with Built-in Light & Ventilation NEW

HS CODE: 44189990 WS

3076 × 4030 × 2277 mm (Ext.)
2968 × 3968 × 2008 mm (Int.)


Components

- 1 Module 3 × 4 - EU electric system
(incl. 1 Power Strip / USB Charger)
- 1 Door with Window
- 6 Sides with Large Windows
- 7 Standard Sides

Available finishes

- Black
- White
- Natural Oak

Dimensions



Product Info		Packaging Information		
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)
 VICBOF133	Black	1 unit / 48 boxes	(6 ×) 2120 × 255 × 190	1370 (avg.)
 VICBOF134	White		+ (24 ×) 1100 × 1100 × 160	
 VICBOF135	Natural Oak		+ (14 ×) 2210 × 1000 × 100	
			+ (4 ×) 530 × 205 × 120	

Raw Materials: Refer to the Product Info available at www.vicoustic.com

Speech Level Reduction: Class B enclosure (ISO 23351-1)*

For **VicBooth separate components prices**, contact your Key Account Manager — sales@vicoustic.com

You can configure your booth at vicbooth.vicoustic.com/office/configurator

* According to the Speech Level Reduction parameter measurements, meaning it can provide acceptable speech privacy in modern office spaces.

VicBooth Accessories

Product Info				Packaging Info		
	Article	Description	Size (mm)	Units / Box	Dimensions (mm)	Weight (kg)
	U05107	 Small Shelf	400×240×77	1	440×280×90	2.1
	Raw materials: MDF ST, HPL (high-pressure laminate), coated steel plate					
	U05105					
	U05104	 Large Shelf	640×200×240	1	695×240×290	5.2
	U05106					
Raw materials: MDF ST, HPL (high-pressure laminate), coated steel plate						
	U05102					
	U05101	 Wall Cabinet	964×350×300	1	1040×425×100	15
	U05103					
Raw materials: MDF ST, HPL (high-pressure laminate), coated steel plate						
	U05099					
	U05098	 Cabinet	964×350×675	1	1040×425×190	30
	U05100					
Raw materials: MDF ST, HPL (high-pressure laminate), coated steel plate						
	U05191	 Large Cabinet	964 × 440 × 675	1	1035 × 490 × 200	35
	Raw materials: MDF ST, HPL (high-pressure laminate), coated steel plate					
	U05097					
	U05096	 Meeting Table	2380×100×736	1	2430×1050×100	52
	U05095					
Raw materials: MDF ST, HPL (high-pressure laminate)						
	U05055	Multi-color Rug	2500×3500	1	1255×700×190	
	Raw materials: Synthetic wool (Polypropylene)					
	U05056	Pearl Rug	2400×3400	1	1255×700×190	
	Raw materials: Synthetic wool (Polypropylene)					
	Adjustable LED Floor Lamp					
	U05058	EU version				
	U05060	UK version	1580×50×330	1	330×1550×51	3,4
	U05059	US version				
	U05061	AU version				
	U05090	USB Light Bar Easy to install, magnetic dimmable light bar	355×38×38	1	360×55×45	0.2

